
SOLARGAIN HOT WATER


Evacuated Tube Gas Boost System


Conventional hot water systems account for up to 31% of the total energy use in the average Australian home. By switching to a Solargain hot water system, you can reduce your water heating bills by up to $80\%^*$.



* NABERS analysis of the IPART paper. (IPART Research Paper 29, November 2007: Residential energy and water use in Sydney, the Blue Mountains and Illawarra. Results from the 2006 household survey: Electricity, Gas and Water).







Evacuated tubes provide excellent performance during winter and over cast conditions.



1300 73 93 55 solargain.com.au


\$10,000 \$8,000 \$6,000 \$4,000 \$2,000 LP Gas Electric Storage Continuous Heat Solar Gas Over 10 Years

SOLARGAIN HOT WATER SYSTEMS CAN PROVIDE UP TO 90% OF YOUR HOT WATER NEEDS, FREE FROM CLEAN NATURAL SUNLIGHT.

Installing a Solargain hot water system reduces the average family's carbon footprint by up to four tonnes of CO₂ per year - the equivalent environmental benefit of planting 200 trees or removing 1 standard car off the road.

Which system size suits your family?					
Number of householders	Tank Capacity (litres)	Number of Tubes	Collector Dimensions H x W x D (mm)	Tank Dimensions H x W (mm)	Gas Booster Dimensions H x W x D (mm)
1-3	250	20	1978 x 1608 x 110	1388 x 648	571 x 350 x 194
3-6	315	30	1978 x 2388 x 110	1682 x 648	571 x 350 x 194
6-8	400	40	1978 x 3300 x 110	1731 x 738	571 x 350 x 194

HOW THE SYSTEM WORKS



EVACUATED TUBE RANGE:

- Lightweight
- · Excellent cold weather performance
- Frost protected without glycol
- · Passive sun tracking
- Self cleaning design
- Aesthetically pleasing low-profile design
- Australian owned and operated
- Gas boost back up, endless hot water
- Extended parts and labour warranty available



1300 73 93 55 solargain.com.au